

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S163	2889	(move\$1 moving switch\$3 handoff handover transfer\$3) near5 ((wireless cellular mobile user portable) adj2 (client\$1 handset terminal\$1 device\$1 unit\$1 phone\$1 radiotelephone\$1 equipment \$1)) near5 channel\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 20:52
S164	24	((move\$1 moving switch\$3 handoff handover transfer\$3) near5 ((wireless cellular mobile user portable) adj2 (client\$1 handset terminal\$1 device\$1 unit\$1 phone\$1 radiotelephone\$1 equipment \$1)) near5 channel\$1) same ((weak low deteriorat\$3) near (signal quality))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 20:54
S165	28	((move\$1 moving switch\$3 handoff handover transfer\$3) near5 ((wireless cellular mobile user portable) adj2 (client\$1 handset terminal\$1 device\$1 unit\$1 phone\$1 radiotelephone\$1 equipment \$1)) near5 channel\$1) same ((weak low deteriorat\$3 poor) near (signal quality))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 20:57
S166	26	S165 and (@ad<"20031021" or @ptad<"20031021" or @rlad<"20031021")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 20:58
S167	2195	((base adj station) or (access adj point)) with ((multiple pluralit\$3 different) adj (channel\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 22:09
S168	16	((move\$1 moving switch\$3 handoff handover transfer\$3) near5 ((wireless cellular mobile user portable) adj2 (client\$1 handset terminal\$1 device\$1 unit\$1 phone\$1 radiotelephone\$1 equipment \$1)) near5 channel\$1) same S167	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 22:10

S169	9	S168 and (@ad<"20031021" or @ptad<"20031021" or @rlad<"20031021")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/03 22:11
S170	17734	((multiple pluralit\$3 dual) adj (transceiver\$1 radio\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:43
S171	2951	((multiple pluralit\$3 dual) adj (transceiver\$1 radio\$1)) with ((base adj station\$1) or (access adj point\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:44
S172	253450	((multiple pluralit\$3 dual) adj (transceiver\$1 radio\$1)) neqr ((base adj station\$1) or (access adj point\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:45
S173	2951	((multiple pluralit\$3 dual) adj (transceiver\$1 radio\$1)) with ((base adj station\$1) or (access adj point\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:45
S174	0	((handover hand\$1over hand \$1off mov\$3 switch\$3 transfer \$4) near (low adj quality)) with (transceiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:51
S175	97	((handover hand\$1over hand \$1off mov\$3 switch\$3 transfer \$4) near (low adj quality))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:52
S176	695	((handover hand\$1over hand \$1off mov\$3 switch\$3 transfer \$4) near ((low weak) adj (signal quality)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:52
S177	1	((((handover hand\$1over hand \$1off mov\$3 switch\$3 transfer \$4) near ((low weak) adj (signal quality)))) with (transceiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:53

S178	14	((handover hand\$1over hand\$1off mov\$3 switch\$3 transfer\$4) near ((low weak) adj (signal quality)))) with (transceiver radio (access adj point\$1) or (base adj station\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:54
S179	6130	(transceiver) near ((access adj point\$1) or (base adj station\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:56
S180	31	((first and second) adj (transceiver)) near ((access adj point\$1) or (base adj station\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:57
S181	30	(handover hand\$1over hand\$1off mov\$3 switch\$3 transfer\$4) and S180	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 16:57
S182	24	S180 and (@ad<"20031021" or @ptad<"20031021" or @rlad<"20031021")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:00
S183	99	((second two three secondary) adj (transceiver)) near ((access adj point\$1) or (base adj station\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:34
S184	99	((second two three secondary) adj (transceiver\$1)) near ((access adj point\$1) or (base adj station\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:34
S185	75	S184 and (@ad<"20031021" or @ptad<"20031021" or @rlad<"20031021")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:34
S186	4704	(handover hand\$1over hand\$1off mov\$3 switch\$3 transfer\$4) with (signal near quality)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:35

S187	5	S184 and S186	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:36
S188	86	(handover hand\$1over hand \$1off mov\$3 switch\$3 transfer \$4)and S184	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:41
S189	86	(handover hand\$1over hand \$1off mov\$3 switch\$3 transfer \$4) and S184	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:41
S190	64	S189 and (@ad< "20031021" or @ptad< "20031021" or @rlad< "20031021")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/10 17:41
S191	1	"5839071".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 08:54
S192	11	(intra) adj (handoff hand\$1off hand\$1over handover)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 08:55
S193	1749	(intra) adj (cell handoff hand \$1off hand\$1over handover)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:22
S194	226	(intra) adj (cell) adj (handoff hand\$1off hand\$1over handover)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:22
S195	208	((second two three secondary multiple pluralit\$3) adj (transceiver\$1)) near ((access adj point\$1) or (base adj station\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:23

S196	4	S194 and S195	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:23
S197	43	S194 and ((weak low degrad \$3 degradation) adj (signal quality))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 09:27
S198	18	S197 and transceiver\$1	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 09:28
S199	16	S198 and (@ad<"20031021" or @ptad<"20031021" or @rlad<"20031021")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:28
S200	0	S195 and S197	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:30
S201	11	S194 and 455/453.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 09:35
S202	11	S194 and 455/453.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:35
S203	14	S194 and ((load) near (balanc \$3 shar\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 09:40
S204	1	"6542482".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 12:43
S205	1	"20050083879"	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 13:00
S206	0	S205 and (handoff hand\$1off hand\$1over handover)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:01

S207	1	S205 and (handoff hand\$1off hand\$1over handover moving)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:01
S208	1020	((moving switching handoff hand\$1off hand\$1over handover transfer\$4) adj (client\$1 subscriber\$1 device \$1 station\$1 terminal\$1 phone \$1 radiotelephone\$1)) near (channel\$1 transceiver\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:06
S209	280	((moving switching handoff hand\$1off hand\$1over handover transfer\$4) adj (client\$1 subscriber\$1 device \$1 station\$1 terminal\$1 phone \$1 radiotelephone\$1)) adj (channel\$1 transceiver\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:06
S210	0	S194 and S209	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 13:37
S211	7	S209 and ((weak low degrad \$3 degradation) adj (signal quality))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 13:37
S212	29	(sharing adj transceiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:39
S213	167	(shar\$3 adj transceiver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:40
S214	0	S213 same ((weak low degrad \$3 degradation) adj (signal quality))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 13:40
S215	24	S213 and ((weak low degrad \$3 degradation) adj (signal quality))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 13:41
S216	12	((weak low degrad\$3 degradation deteriorat\$3) adj (signal quality)) with (intra \$1cell)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/13 14:55
S217	1	"6542482".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 18:27
S218	1	"5241685".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 18:28

S219	4132	((decreas\$3 reduc\$3 drop\$4 low weak degrad\$3 deteriorat\$3) near ((signal link) adj (quality)))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 18:30
S220	4682	((decreas\$3 reduc\$3 drop\$4 low weak degrad\$3 deteriorat\$3) near ((signal link) adj (quality)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:30
S221	4153	((decreas\$3 reduc\$3 drop\$4 low weak degrad\$3 deteriorat\$3) adj ((signal link) near (quality)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:31
S222	165	((decreas\$3 reduc\$3 drop\$4 low weak degrad\$3 deteriorat\$3) adj ((signal link) near (quality))) with (mov\$3 transfer\$4 hand\$1off hand\$1over handoff handover)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:31
S223	1	((decreas\$3 reduc\$3 drop\$4 low weak degrad\$3 deteriorat\$3) adj ((signal link) near (quality))) with ((mov\$3 transfer\$4 hand\$1off hand\$1over handoff handover) near (transceiver channel\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:32
S224	1022	((moving switching handoff hand\$1off hand\$1over handover transfer\$4) adj (client\$1 subscriber\$1 device\$1 station\$1 terminal\$1 phone\$1 radiotelephone\$1)) near (channel\$1 transceiver\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:33
S225	184	((second two three secondary pluralit\$3) adj (transceiver\$1)) near ((access adj point\$1) or (base adj station\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:35
S226	3	S221 and S225	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:35
S227	296464	((moving switching handoff hand\$1off hand\$1over handover transfer\$4) adj (client\$1 subscriber\$1 device\$1 station\$1 terminal\$1 phone\$1 radiotelephone\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:36

S228	15	S225 and S227	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:37
S229	1116	455/453.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:40
S230	10	S221 and S229	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 18:40
S231	9445	S217 2and S229	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 18:42
S232	3	S225 and S229	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 18:42
S233	1	"5873038".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 18:45
S234	1	(moving switching handoff hand\$1off hand\$1over handover transfer\$4) and S233	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 18:45
S235	310	((moving switching handoff hand\$1off hand\$1over handover transfer\$4) adj (client\$1 subscriber\$1 device \$1 station\$1 terminal\$1 phone \$1 radiotelephone\$1)) same (("same" single) adj (channel transceiver\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:22
S236	1	((moving switching handoff hand\$1off hand\$1over handover transfer\$4) adj (client\$1 subscriber\$1 device \$1 station\$1 terminal\$1 phone \$1 radiotelephone\$1)) same ((sharing) adj (channel transceiver\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:22
S237	7091	(share\$1) adj (channel transceiver\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:23

S238	337	S227 and S237	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:24
S239	19	S227 same S237	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:24
S240	142	(share\$1) adj (transceiver\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:24
S241	14	S227 and S240	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:25
S242	649	(share\$1) adj ((transceiver\$1) or (access adj point) or (base adj station))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:27
S243	42	((moving switching handoff hand\$1off hand\$1over handover transfer\$4) adj (client\$1 subscriber\$1 device \$1 station\$1 terminal\$1 phone \$1 radiotelephone\$1)) near (transceiver\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:28
S244	1	S242 and S243	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:28
S245	27	S242 and ((load usage) near (balanc\$3))	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2009/03/15 21:30
S246	20	S245 and (@ad< "20031021" or @ptad< "20031021" or @rlad< "20031021")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/15 21:31

3/ 16/ 2009 6:52:20 AM

C:\ Documents and Settings\ aaddy\ My Documents\ EAST\ Workspaces\ Peek 10690278.wsp